

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L2	18	((impedance resistance resistivity) and tomography and (synchroniz\$4 synchronization)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 08:54
L5	1439	((702/40) or (600/425)). CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/24 09:35
S1	9	(("4298936") or ("4438488") or ("5311878")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/21 13:29
S2	10	(yunfeng near2 dai).inv. (mi near2 wang).inv. (yixin near2 ma).inv. (nigel near2 holliday).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:35
S3	840	((702/40) or (378/21)). CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/21 13:58
S4	26899	((702/19-21,57,66-77,85-107,127,189-199) or (600/425-429) or (378/4,21-27) or (283/131) or (250/363.04-363.05)). CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/21 15:22
S5	217	S4 and (dual\$1phase two \$1phase "2-phase")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:23

S6	90	S5 and array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:23
S7	14	S6 and tomography	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:30
S8	4765	S4 and tomography	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:35
S9	268	S8 and (parallel near2 (processing processors array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:35
S10	233	S9 and array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:35
S11	191	S8 and (parallel near2 (processing processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:36
S12	156	S11 and array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 15:36
S13	4	S5 and (impedance with tomography)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 16:09

S14	18	array and (impedance with tomography) and (dual\$1phase two \$1phase "2-phase")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 16:10
S15	33	array and EIT and (dual \$1phase two\$1phase "2-phase")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 16:15
S16	10	tomography and "AD844"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 16:57
S17	135	tomography and (amplifier with (current near2 (source supply)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 17:00
S18	0	S17 and (DC near2 restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 17:06
S19	2	S17 and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 17:06
S20	11	tomography and (staircase with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 17:10
S22	1	tomography and ((mux multiplex\$3) with (flip flop flip\$1flop) with (sine cosine sin cos sinusoidal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 07:46

S23	53	tomography and ((mux multiplex\$3) with (sine cosine sin cos sinusoidal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 07:47
S24	22	(EIT tomography) and (resistance resistivity) and (synchroniz\$3 with (sine cosine sinusoid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/21 09:04

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((702/40) or (600/425)). CCLS.	UPAD	OR	OFF	2011/03/24 08:53
L3	9	((impedance resistance resistivity) and tomography and (synchroniz\$4 synchronization)).clm.	USPAT; UPAD	OR	ON	2011/03/24 09:06
S21	3	(yunfeng near2 dai).inv. (mi near2 wang).inv. (yixin near2 ma).inv. (nigel near2 holiday).inv.	USPAT; UPAD	OR	ON	2010/09/21 13:35

3/ 24/ 2011 9:44:13 AM

C:\Documents and Settings\jmoifat\My Documents\EAST\Workspaces\10570054.wsp